



RR KĀBEL

CUSTOMER PRICE

Ref No. RRKL/LP/BCISI/06-2/23
w.e.f. 28th June 2023

THE ONLY INDIAN
WIRE BRAND
TRUSTED BY

90+
COUNTRIES
GLOBALLY



RR KÄBEL
WIRES & CABLES

**AKALMAND
BANO,
SAHI CHUNO**



SUPEREX FR

FR PVC Insulated Single Core Cables



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC Insulated Industrial Cables in voltage grade upto and including 1100 Volts, as per IS694 (HSN CODE : 8544)

SIZE (SQ.MM)	CONFIGURATION	RATE/90 MTR	CP/90 MTR	NO. OF COILS PACKED IN AN OUTER BOX
0.75	24/0.2	1408	1033	24
1.0	14/0.3	1919	1407	20
1.5	22/0.3	2797	2051	12
2.5	36/0.3	4467	3276	12
4.0	56/0.3	6511	4775	8
6.0	84/0.3	9698	7112	4

FIREX LSOH

Halogen Free Flame Retardant 90*C, Crosslinked



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, Cross linked Halogen Free Flame Retardant (HFFR) 90* C Insulated Industrial Cables in voltage grade upto and including 1100 volts, as per IS 17048 (HSN Code: 8544)

SIZE (SQ.MM)	CONFIGURATION	RATE/90 MTR	CP/90 MTR	NO. OF COILS PACKED IN AN OUTER BOX
1.00	14/0.3	2320	1701	20
1.50	22/0.3	3266	2395	12
2.50	36/0.3	5162	3785	12
4.00	56/0.3	7576	5556	8
6.00	84/0.3	10973	8047	4

Q1 SUPPER FLEXIBLE

Flame Retardant



Multistrand bright electrolytic annealed bare copper conductor, PVC insulated Unsheathed Single core round flecible Cables for working voltages upto and including 1100 volts as per 15 694 (HSN CODE : 8544)

SIZE (SQ.MM)	CONFIGURATION	RATE/90 MTR	CP/90 MTR	NO. OF COILS PACKED IN AN OUTER BOX
0.75	24/0.21	1371	1006	24
1.0	32/0.21	1787	1310	20
1.5	30/0.26	2584	1895	12
2.5	50/0.26	4124	3025	12
4.0	56/0.31	6359	4663	8
6.0	84/0.31	9466	6941	4